
Written by Vlask Friday, 03 May 2013 16:46




Core: Redwood XT 775MHz Shaders: 400 Memory: 512MB GDDR5 4000MHz 128bit Year: 2010 Bus: PCI-E 16x 2.0 Made: TSMC 40nm Taiwan Links: Legit OpenGL Price: \$99 / \$130 (1GB)


Bios: <u>Sapphire</u> **Note:** card underclock itself to 157/1200 or 400/3600 MHz GPU/Mem Gift from Řiha


{webgallery}





TechPowerUp GPU-Z 0.7.0			
Graphics Card Sensors Validation			
Name	ATI Radeon HD 5670		
GPU	Redwood	Revision N/A	
Technology	40 nm	Die Size 104 m	
Release Date	Jan 14, 2010	Transistors 627M	
BIOS Version	012.019.000.008.000000 (113-E152VGA-QI1) 🥔		
Device ID	1002 - 68D8	Subvendor Sapphi	ire/PCPartner (174B)
ROPs/TMUs	8 / 20 Bus Interface PCI-E 1.1 x16 @ x4 1.1 ?		
Shaders	400 Unified DirectX Support 11.0 / SM5.0		
Pixel Fillrate	6.2 GPixel/s	Texture Fillrate	15.5 GTexel/s
Memory Type	GDDR5	Bus Width	128 Bit
Memory Size	512 MB	Bandwidth	64.0 GB/s
Driver Version	ati2mtag 9.0.100.1000 (Catalyst 13.4) / XP		
GPU Clock	775 MHz M	emory 1000 MHz	Shader N/A
Default Clock	775 MHz M	emory 1000 MHz	Shader N/A
ATI CrossFire	Disabled		
Computing 🔲 OpenCL 🥅 CUDA 🥅 PhysX 🔲 DirectCompute			
ATI Radeon HD 5670 Close			





Written by Vlask Friday, 03 May 2013 16:46

{/webgallery}