Core: R300 324MHz
Memory: 256MB DDR 554MHz 256bit
Year: 2002 **Bus:** AGP Pro 8x
Made: TSMC 150nm **Links:** Tom'sHW Wikipedia OpenGL

Bios: Ati

{webgallery}


PN 109-99000-00
Fire GL X1
ATI Technologies Inc.
D33011
S/N 180331 007397
P/N 1039750100 082668
MADE IN CHINA


E117942
EP3000422162
TESTED TO COMPLY
WITH FCC STANDARDS
FOR HOME OR OFFICE US
www.vgamuseum.info


TechPowerUp GPU-Z 0.7.8
Graphics Card
Sensors
Validation
Name
ATI FireGL X1
GPU
R300
Revision
N/A
Technology
150 nm
Die Size
218 mm²
Release Date
2002
Transistors
107M
BIOS Version
(C) 1988-2002, ATI Technologies Inc. BK-GER VER...
Device ID
1002 - 4E47
Subvendor
ATI (1002)
ROPs/TMUs
8 / 8
Bus Interface
AGP 4x @ 4x
Shaders
8 Pixel / 4 Vertex
DirectX Support
9.0 / SM2.0
Pixel Fillrate
2.6 GPixel/s
Texture Fillrate
2.6 GTexel/s
Memory Type
DDR
Bus Width
256 Bit
Memory Size
256 MB
Bandwidth
17.7 GB/s
Driver Version
ati2mtag 8.583.0.0 / XP
GPU Clock
324 MHz
Memory
277 MHz
Shader
N/A
Default Clock
324 MHz
Memory
276 MHz
Shader
N/A
ATI CrossFire
Disabled
Computing
OpenCL
CUDA
PhysX
DirectCompute
ATI FireGL X1
Close


R878
R608
C586
L21
C585
MIC
D33011


5.5 94V0
E117942
U50
U51
C317
R123
C117
R107
R134
Q9
C327
B22
C125
C106
Q5
lies with Canadian
S-003, Class B

{/webgallery}