Core: Permedia 2 ?MHz 64bit
Memory: 4/8MB SGR ?MHz 64bit
Year: 1997 **Bus:** AGP 1x
Made: 0,35µm Texas Instruments Phillipines **Links:** 3DLabs

{webgallery}


AT29C257
12JC
9812
B5
ELSA

ELSA GLoria Synergy-4 ATX
FC
Tested to Comply
with FCC Standards
FOR HOME OR OFFICE USE
GLoria Synergy-4 ATX
8753502372
BU
Made
Franc


ON=VGA dis.
SW1
Q1
Q2
J1
S1
S2
S3
PHILIPS
24576.000
Q 700 817
Q14308
J2


This device complies with Part 15 of the FCC rules. Operation is subject to the following two conditions:
(1) This device may not cause harmful interference, and
(2) This device must accept any interference received, including interference that may cause undesired operation.
T0500 71R
T0500 71R
T0500 71R
T0503 8IR
IBM038329NQ6A-7R5
88H2256 TW14 PQ
R212
WINNER 2000/Office-A8
FCC-ID:KJGP2VIVOAGP


ON=VGA disable
SW1
R14
R15
R132
Q8
Q7
C23
R7
C24
IC1
R40
C5
C41
R37
C42
C18
C38
R25
R26
C39
C27
C32
C28
C36
C45
R47
R46
R48
Q6
Q5
J3
C50
L20
S1
C7
D5
D6
D7
D8
D9
L14
L15
L17
C6
L1
C1
C21
QC.OK
20


This device complies with Part 15 of the FCC rules. Operation is subject to the following two conditions:
(1) This device may not cause harmful interference, and
(2) This device must accept any interference received, including interference that may cause undesired operation.
IC201
IC202
IC203
IC204
R205
IBM038329NQ6A-7R5
88H2256 JP 14 PQ
R20069IR
WINNER 2000/Office-4 ViVo
FCC-ID: KJGP2VIVOUP
4 023004
Made in

{/webgallery}