

ATi 8514/Ultra

Written by Pirx

Wednesday, 19 September 2012 18:34 - Last Updated Wednesday, 19 September 2012 19:13



Core: 38800-1 (Mach8) ?MHz ?bit

Memory: 1MB VRAM ?MHz ?bit

Year: 1991


Bus: ISA 16bit and/or MCA


{webgallery}

ATi 8514/Ultra

Written by Pirx

Wednesday, 19 September 2012 18:34 - Last Updated Wednesday, 19 September 2012 19:13






ATi 8514/Ultra

Written by Pirx


Wednesday, 19 September 2012 18:34 - Last Updated Wednesday, 19 September 2012 19:13



ATi 8514/Ultra

Written by Pirx


Wednesday, 19 September 2012 18:34 - Last Updated Wednesday, 19 September 2012 19:13



ATi 8514/Ultra

Written by Pirx

Wednesday, 19 September 2012 18:34 - Last Updated Wednesday, 19 September 2012 19:13



New!

- True 1280×1024 Windows support
- Powerful VIBRANT GRAPHICS* CAD drivers
- Ergonomic 76 Hz refresh at 1024×768

8514/A Compatible Video Graphics Co-processor Card

8



ATi 8514/Ultra

Written by Pirx

Wednesday, 19 September 2012 18:34 - Last Updated Wednesday, 19 September 2012 19:13

FEATURES

Superior Speed with Graphics Coprocessor

Runs Windows 5 times faster than cards using the TI* TMS34010 chip, 2 times faster than the TMS34020 chip and 24 times faster than SuperVGA cards. Winner of PC Magazine's Editors' Choice.

Register Compatible

100% register level compatible with IBM 8514/A; supports all 8514/A modes across all software and operating systems.

Flicker-free High Resolution Modes

Displays 1280x1024 interlaced (1.0MB version only) in 16 colors, and non-interlaced 1024x768, 800x600 and 640x480 in 16 (512K version) or 256 colors (1.0MB version). Also supports flicker-free 1024x768 resolution with 70, 72 and 76 Hz vertical refresh rates.

Scalable Laser Quality Screen Fonts for Windows

Display near 300dpi screen fonts on conventional 1024x768 monitors. CRYSTAL Fonts are scalable from compact outlines at speeds up to 40,000 cps. Includes 13 PostScript* style fonts. Use the coupon inside to purchase extra fonts and converter for AGFA Intellifont* (HP LaserJet*) fonts and Adobe* & Bitstream* (PostScript*) fonts.

Powerful Drivers

Coprocessor: Windows 3.x; OS/2 Presentation Manager; AutoCAD and AutoCAD 386 Release 10 and 11; MicroStation; CADKEY 4.0; Turbo AI for DOS and OS/2. Additional drivers supplied by third party software companies. Includes High Density 5.25" and 3.5" disks.

VGA Pass-Through


Connects to VGA boards with feature connector for single monitor operation (includes cable).

Dual Bus Support

Plugs into either AT* or Micro Channel* slots (includes brackets).

Memory Configurations

512K or 1.0MB versions. 512K units are user upgradeable to 1.0MB.



* Trademarks are registered by their respective companies. Features and specifications are subject to change without notice. Product may not be exactly as shown. 92 01 01

Kit components manufactured in one or more of the following countries: Canada and Taiwan.

Illustrated Awards won by 8514-ULTRA and Graphics ULTRA.

ATi 8514/Ultra

Written by Pirx

Wednesday, 19 September 2012 18:34 - Last Updated Wednesday, 19 September 2012 19:13

{/webgallery}