

Core: 3DLabs GLiNT 500TX + GLINT Delta ?MHz ?bit + Avance Logic ALG2564 for DOS
Memory: 8MB VRAM + 16MB EDO + 1MB for DOS ?MHz ?bit **Year:** 1996 **Bus:** PCI
Made: ? **Links:** Press drivers Opengl **Price:** $2,795

Bios: Diamond
Note: Win 9x drivers have no support for OpenGL, in Win XP i used NT driver

{webgallery}


Diamond Multimedia
Fire GL 3000
Tested to Comply With FCC Standards
FOR HOME OR OFFICE USE
Avance Logic,Inc.
ALG2564
6615BS1
9641F TAIWAN
www.vgamuseum.info


Rev. B
IC34
IC35
IC32
IC31
IC33
IC42
IC20
IC5
IBM
PALETTE DAC
14.318RG
LINEAR
LT1587
CT-3.3
P1
P2
P3
JP1


FAB#: 22130002-002
Diamond Multimedia
Fire GL 3000
Tested to Comply With FCC Standards
FOR HOME OR OFFICE USE
Avance Logic, Inc.
ALG2564
66158S1
9641F TAIWAN
SEC KOREA
KM416C256BJ-6
IC6
IC9
IC10
IC13
IC19
IC39
IC44
C139
C140
C109
C108
C101
C145
C100
C93
C153
C158
C195
C165
C166
C144
C117
C167
RP51
RP48
RP49
RP62
RP57
R61
R57
R60
R56
R94
R148
R185
R183
R192
R33
R27
R26
R32
L1
L2
L3
www.vgamuseum.info


Rev. B
IC34
IC35
IC32
IC31
IC33
IC42
IC20
IBM
PALETTE DAC
74F175
LINEAR
LT1587
CT-3.3
14.318RG
JP1
P1
P2
P3


C21
U1
LINEAR
LT1587
CM-3.3
6342640
C11
C33
R14
R16
R4
R3
R15
IC4
IC3
RP3
RP4
C32
RP5
RP6
R10
R19
RP2
RP1
JP1


Monitor
FIRE GL 3000 Direct3D
DoubleScreen Settings
Fullscreen
Current Monitor
on both
Reports
left
right

Monitor
FIRE GL 3000 Direct3D
Direct3D
Available Texture Formats
8 Bit RGB Textures
True Color Textures
Advanced Options
Disable Direct3D HAL
No VBlank Wait


C152
IC3
C85
R159
C102
D1
Rev. B
D17
53


C152
IC3
C85
R159
C102
Rev. B
D17
R153

R87
R85
R83
R81
R79
C109
C14
R43
R42
3000

{/webgallery}