

## Alliance Semiconductor ProMotion aT3D

Written by Zaatharen

Monday, 07 March 2011 16:09 - Last Updated Wednesday, 07 March 2012 15:09

---



**Core:** ProMotion aT3D 50MHz 128bit    **Memory:** 4MB EDO 50MHz 64bit    **Pixel pipelines:**

1

**TMU per pipeline:**

1

**Pixel write speed:**

50 MPixel/s

**Texel write speed:**

50 MTexel/s

**Memory bandwith:**

400 MB/s

**Year:**

1997

**Bus:**

PCI


{webgallery}

## Alliance Semiconductor ProMotion aT3D

Written by Zaatharen

Monday, 07 March 2011 16:09 - Last Updated Wednesday, 07 March 2012 15:09

---






## Alliance Semiconductor ProMotion aT3D

Written by Zaatharen


Monday, 07 March 2011 16:09 - Last Updated Wednesday, 07 March 2012 15:09

---





Monday, 07 March 2011 16:09 - Last Updated Wednesday, 07 March 2012 15:09




## Alliance Semiconductor ProMotion aT3D

Written by Zaatharen

Monday, 07 March 2011 16:09 - Last Updated Wednesday, 07 March 2012 15:09

---





## Alliance Semiconductor ProMotion aT3D

Written by Zaatharen

Monday, 07 March 2011 16:09 - Last Updated Wednesday, 07 March 2012 15:09


---



## Alliance Semiconductor ProMotion aT3D

Written by Zaatharen

Monday, 07 March 2011 16:09 - Last Updated Wednesday, 07 March 2012 15:09






## Alliance Semiconductor ProMotion aT3D

Written by Zaatharen

Monday, 07 March 2011 16:09 - Last Updated Wednesday, 07 March 2012 15:09

---





## Alliance Semiconductor ProMotion aT3D

Written by Zaatharen

Monday, 07 March 2011 16:09 - Last Updated Wednesday, 07 March 2012 15:09

---

{/webgallery}